Contents of Volume 14

No. 1, September 1991

A simple membrane-filter technique for the enumeration of S-reducing bacteria in soil and water samples
S. A. Traore and V. A. Jacq (France) 1

Respiratory activity of a genetically engineered *Pseudomonas fluorescens* strain in soil measured using gas chromatography
J. T. Trevors (Canada) 11

Enzyme – substrate assay for the qualitative detection of microorganisms by ion mobility spectrometry
A. P. Snyder, M. Miller, D. B. Shoff, G. A. Eiceman, D. A. Blyth and J. A. Parsons (USA) 21

A novel sensitive nitrite reagent to be used in the clinical microbiology laboratory
J. V. Uri, N. Burdash and R. Bright (USA) 33

Determination of the lipid composition of *Salmonella typhimurium* outer membranes by ^{31}P NMR
F. R. Rana, C. M. Sultany and J. Blazyk (USA) 41

Amplification of 16S rRNA genes from culturable and nonculturable Mollicutes
S. Deng and C. Hiruki (Canada) 53

Bacterial lipopolysaccharide extraction in silica gel-containing tubes
S. Albertí, J. Imperial, J. M. Tomás and V. J. Benedí (Spain) 63

No. 2, November 1991

Counter-current immunoelectrophoresis test for serodiagnosis of hydatid disease by detection of circulating hydatid antigen
G. M. Shariff and S. C. Parija (India) 71

A quantitative method for assessing bacteriocins and other food antimicrobials by automated turbidometry
E. Skyttä and T. Mattila-Sandholm (Finland) 77

Susceptibility testing of Enterobacteriaceae within 4.5 h using the ATB system
M. Altwegg, P. Stein, H. Adler Mosca and A. von Graevenitz (Switzerland) 89

Assessment of the antimicrobial activity of antibiotics using microcolony areas measured by image analysis
S. J. Hammonds and H. M. Galliford (UK) 95

Rapid identification of *Candida albicans* by fluoroplate candida agar
M. Manafi and B. Willinger (Austria) 103

Microbial activity measurement in soil – a comparison of methods
E. Bauer, C. Pennerstorfer, P. Holubar, C. Plas and R. Braun (Austria) 109

A generally applicable technique for the extraction of restrictable DNA from methanogenic bacteria
S. A. Meakin, J. H. E. Nash, W. D. Murray, K. J. Kennedy and G. D. Sprott (Canada) 119

Elaboration of a procedure for identification of bacteria using Fourier-Transform IR spectral libraries: a stepwise correlation approach
D. Helm, H. Labischinski and D. Naumann (FRG) 127

No. 3, December 1991

Peptide mapping/Western immunoblot procedure for identification of a truncated mycoplasma protein expressed in *Escherichia coli*
K. F. Ogle and D. C. Krause (USA) 143

Microbial biomass measured as total lipid phosphate in soils of different organic content
Å. Frostegård, A. Tunlid and E. Bååth (Sweden) 151

An economical and time saving alternative to the most-probable-number method for the enumeration of microorganisms
M. L. C. Carvalhal, M. S. Oliveira and F. Alterthum (Brazil) 165
A bioassay for cholera-like toxins using HT29 cells
Z. Charania, R. Vanmaele and G. D. Armstrong (Canada) 171
Comparison of decontamination methods for the isolation of mycobacteria from drinking water samples
R. Schulze-Röbbecke, A. Weber and R. Fischeder (FRG) 177
Analysis of madurose and other actinomycete whole cell sugars by gas chromatography
G. S. Saddler, P. Tavecchia, S. Lociuro, M. Zanol, L. Colombo and E. Selva (Italy) 185
Deep agar-diffusion test for preliminary screening of lipolytic activity of fungi
N. Lima, J. A. Teixeira and M. Mota (Portugal) 193
Procedure for isolation of *Escherichia, Salmonella,* and *Pseudomonas* mutants capable of growth at the refractory temperature 54 °C
M. L. Droffner and N. Yamamoto (USA) 201

No. 4, January 1992

Conjugative transfer of R plasmids between *Escherichia coli* strains on saline selective media and in seawater
M.-P. Combarro, M. J. Gauthier and V. A. Breittmayer (France, Spain) 207
An electromigration technique, applied for the concentration of anaerobic protozoa from mass cultures
C. A. M. Broers, H. O. F. Molhuizen, C. K. Stumm and G. D. Vogels (The Netherlands) 217
The distribution of elements in cells of the methylotrophic yeast *Candida boidinii* as determined by electron probe X-ray microanalysis of ultrathin frozen-dried cryosections
R. Pelc, Z. Žižka, B. Uhrík and O. Volfová (Czechoslovakia) 221
A rapid and sensitive microassay for determination of chitinolytic activity
K. J. McCreath and G. W. Gooday (UK) 229
A new method for preservation of microorganisms by liquid-drying under anaerobic conditions
K. A. Malik (FRG) 239
Flow cytometric isolation of growth rate mutants: a yeast model
R. Nir, R. Lamed, E. Sahar and Y. Shabtai (Israel) 247
Functional microassay of complement activation by pneumococci
S. P. M. Geelen, P. C. Aerts, J. Verhoef, A. Fleer and H. van Dijk (The Netherlands) 257
Modified bottle plate for the cultivation of strict anaerobes
K. D. Olson (USA) 267
A comparison of plating media and diluents for enumeration of aerobic bacteria in a loam soil
J. T. Trevors and S. Cook (Canada) 271